ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ СЕРТИФИКАТ ◆ CERTIFICADO ◆ CERTIFICAT

Product Service

C E R T I F I C A T E

No. Z2 021860 0208 Rev. 00

Holder of Certificate: **Ledon A/S**
Vestergade 25
Gram
6510 Gram
DENMARK

Certification Mark:

Product: **Swings**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 713330926-01

Valid until: 2029-03-07

Date, 2024-04-09

(Tobias Hofmann)

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ СЕРТИФИКАТ ◆ CERTIFICADO ◆ CERTIFICAT

Product Service

C E R T I F I C A T E

No. Z2 021860 0208 Rev. 00

Model(s):

1149, 1169, 1169EXA, 1170, 1170EXA, 1171, 1171EXA 1172, 1172EXA, 1174, 1174EXA, 1175, 1175EXA, 1176, 1179, 1179EXA, 1180, 1180EXA, 1181, 1181EXA, 1182, 1182EXA, 1185, 1185-0, 1185EXA, 1185EXA-0, 1186, 1186-0, 1186EXA, 1186EXA-0, 1187, 1187-0, 1187EXA, 1187EXA-0, 1188, 1188-0, 1188EXA, 1188EXA-0, 1189, 1189-0, 1189EXA, 1189EXA-0, 1190, 1190-0, 1190EXA, 1190EXA-0, 302230, LB1177, LB1178

Parameters:

Swing frames made of galvanised steel pipes Ø 76.1 x 2.9 mm.
Frames could be combined with the following swing seat models:
1110, 1112, 1114, 1115, 1035, 1036.
Model suffixes EXA, LB are decorational elements.

Model: dimensions (L x W x H); Possible swing seats

1149: 1.63 x 0.34 x 1.88 m; 1113
1169: 2.40 x 2.70 x 2.20 m; 1110, 1112, 1113, 1114
1169EXA: 2.40 x 2.70 x 2.20 m; 1110, 1112, 1113, 1114
1170: 3.50 x 2.70 x 2.20 m; 1110, 1112, 1113, 1114
1170EXA: 3.34 x 2.27 x 2.43 m
1171: 2.40 x 2.70 x 2.20 m; 1110, 1112, 1113, 1114
1171EXA: 2.23 x 2.27 x 2.43 m; 1110
1172: 3.50 x 2.70 x 2.20 m; 1110, 1112, 1113, 1114
1172EXA: 3.34 x 2.27 x 2.43 m; 1110
1174: 3.50 x 2.70 x 2.20 m; 1035, 1036
1174EXA: 3.34 x 2.27 x 2.43 m
1175: 3.50 x 2.70 x 2.20 m; 1035, 1036
1175EXA: 3.34 x 2.27 x 2.43 m, 1036
1176: 3.50 x 2.70 x 2.20 m; 1036
1179: 3.85 x 2.90 x 2.50 m; 1110, 1112, 1113, 1114
1179EXA: 3.85 x 2.90 x 2.50 m; 1110, 1112, 1113, 1114
1180: 3.85 x 2.90 x 2.50 m; 1110, 1112, 1113, 1114
1180EXA: 3.46 x 2.61 x 2.79 m; 1110
1181: 3.85 x 2.90 x 2.50 m; 1110, 1112, 1113, 1114
1181EXA: 2.36 x 2.61 x 2.79 m; 1110
1182: 3.85 x 2.90 x 2.50 m; 1110, 1112, 1113, 1114
1182EXA: 3.46 x 2.61 x 2.79 m; 1110
1185: 6.60 x 2.30 x 2.20 m; 1110, 1112, 1113, 1114
1185-0: 6.60 x 2.30 x 2.20 m
1185EXA: 6.35 x 2.27 x 2.43 m: 1110, 1112, 1113, 1114
1185EXA -0: 6.35 x 2.27 x 2.43 m
1186: 6.50 x 2.30 x 2.20 m; 1110, 1112, 1113, 1114, 1035, 1036
1186-0: 6.50 x 2.30 x 2.20 m
1186EXA: 6.25 x 2.27 x 2.43 m; 1110, 1112, 1113, 1114, 1036
1186EXA-0: 6.25 x 2.27 x 2.43 m
1187: 5.30 x 2.30 x 2.20 m; 1110, 1112, 1113, 1114
1187-0: 5.30 x 2.30 x 2.20 m
1187EXA: 5.05 x 2.27 x 2.43 m; 1110, 1112, 1113, 1114
1187EXA-0: 5.05 x 2.27 x 2.43 m
1188: 9.70 x 2.30 x 2.20 m; 1110, 1112, 1113, 1114

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ СЕРТИФИКАТ ◆ CERTIFICADO ◆ CERTIFICAT

Product Service

C E R T I F I C A T E

No. Z2 021860 0208 Rev. 00

1188-0: 9.70 x 2.30 x 2.20 m
1188EXA: 9.37 x 2.27 x 2.43 m; 1110, 1112, 1113, 1114
1188EXA-0: 9.37 x 2.27 x 2.43 m
1189: 6.35 x 2.30 x 2.20 m; 1035, 1036
1189-0: 6.35 x 2.30 x 2.20 m
1189EXA: 6.14 x 2.27 x 2.43 m; 1035, 1036
1189EXA-0: 6.14 x 2.27 x 2.43 m
1190: 8.30 x 2.30 x 2.20 m; 1110, 1112, 1113, 1114, 1035, 1036
1190-0: 8.30 x 2.30 x 2.20 m
1190EXA: 7.96 x 2.27 x 2.43 m; 1110, 1112, 1113, 1114, 1035, 1036
1190EXA-0: 7.96 x 2.27 x 2.43 m
302230: 3.50 x 2.70 x 2.20 m; 1110
LB1177: 2.40 x 2.70 x 2.20 m; 1115
LB1178: 3.50 x 2.70 x 2.20 m; 1115

Tested according to:

EN 1176-1:2017
EN 1176-2:2017

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®