



Product Service

CERTIFICATE

No. Z2 017297 0512 Rev. 00

Holder of Certificate: **Huck Seiltechnik GmbH**
Netz- und Seilspielgeräte
Dillerberg 3
35614 Aßlar-Berghausen
GERMANY



Certification Mark:



Product: **Playground equipment**
Rope net pyramids

The product was tested on a voluntary basis and complies with the essential requirements.
The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied.
For details see: www.tuvsud.com/ps-cert

Test report no.: 713176161-08

Valid until: 2025-02-18

Date, 2020-07-09

(Jens Biesenack)



Product Service

CERTIFICATE

No. Z2 017297 0512 Rev. 00

Model(s): 4595-1-Y-X, 4595-X, 4596-X, 4640-1-X, 4640-2-X, 4641-1-X, 4641-2-X, 4641-3-X, 4641-10, 4643-1B-X, 4643-2B-X, 4643-2B-10-X, 4643-3B-X, 4643-3B-10-X, 4644-1-X, 5000-4-4-X, 5000-6-4-X, 5000-6-6-X, 5000-8-6-X, 10.01.100-X, 10.02.100-X, 10.03.100-X, 10.04.100-X, 10.05.100-X

Parameter:

Art.-Nr. / Name l x w x h [m]

4595-1-Y-X Bridge with slide 2.50 x 1.84 x 2.74
 4595-X Rope net tower 1 9.50 x 9.50 x 6.10
 4596-X Rope net tower 2 8.00 x 8.00 x 4.40
 4640-1-X X-Pyramid maxi 5.45 x 5.45 x 4.20
 4640-2-X X-Pyramid midi 3.55 x 3.55 x 2.50
 4641-1-X Super climb maxi 6.20 x 6.20 x 5.50
 4641-2-X Super climb midi 6.10 x 6.10 x 3.95
 4641-3-X Super climb mini 4.00 x 4.00 x 2.40
 4641-10 Rope pyramid France 7.00 x 7.00 x 5.20
 4643-1B-X Cheops pyramid mini 4.00 x 4.40 x 3.50
 4643-2B-X Cheops pyramide midi 8.33 x 8.33 x 4.20
 4643-2B-10-X Cheops combination midi 8.33 x 18.94 x 4.20
 4643-3B-X Cheops pyramid maxi 11.00 x 11.00 x 5.70
 4643-3B-10-X Cheops combination maxi 11.00 x 25.76 x 5.70
 4644-1-X Triops pyramid mini 4.00 x 4.60 x 3.20
 5000-4-4-X rope pyramid Spider 6.00 x 6.00 x 4.35
 5000-6-4-X rope pyramid Spider 8.75 x 8.75 x 6.40
 5000-6-6-X rope pyramid Spider 11.30 x 9.80 x 6.40
 5000-8-6-X rope pyramid Spider 12.10 x 13.95 x 8.15



Product Service

CERTIFICATE

No. Z2 017297 0512 Rev. 00

Parameter:

Art.-Nr. / Name l x w x h [m]

10.01.100-X Dino 1	9.55 x 9.55 x 6.15
10.02.100-X Dino 2	8.00 x 8.00 x 4.40
10.03.100-X Dino 3	5.60 x 5.60 x 3.20
10.04.100-X Dino XXL	9.55 x 9.55 x 8.20
10.05.100-X Dino Mini	3.68 x 3.50 x 2.44

The Y stands for the following variations of the posts:

- S - Steel, St37-2, hot-dip galvanized
- PS - Douglas fir incl. hot-dip galvanized post shoe
- R - Robinia, as grown, slint free

The X stands for the following variants of ground anchoring:

- EB - Set in concrete
- EG - Embedding (hot-dip galvanised anchor plates)
- AD - Dowelling (stainless steel anchor plates)

Post: Steel Ø 60, 100, 102, 140, 159, 194 mm
 Douglas fir Ø 160, 180, 200 mm
 Robinia Ø 160 - 400 mm

Ropes/nets: in Hercules quality
 with steel core, Ø 16 mm

Tested

according to:

DIN EN 1176-1:2017
 EN 1176-1:2017
 DIN EN 1176-3:2017
 EN 1176-3:2017
 DIN EN 1176-11:2014
 EN 1176-11:2014

Production

Facility(ies):

017297